#### In the Claims

 (Currently Amended) A method for managing a mutex in a data processing system, the method comprising:

maintaining an average acquisition cost value for a mutex;

attempting to acquire the mutex by a first thread; and

in response to a determination that the mutex has already been acquired by a second thread, determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex;

maintaining a thread-specific current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex; and

in response to the first thread acquiring the mutex, recomputing the average acquisition cost value for the mutex to include the thread-specific current acquisition cost value.

 (Original) The method of claim 1 wherein the average acquisition cost value indicates an average consumption of computational resources by threads in acquiring the mutex.

## (Canceled)

- 4. (Original) The method of claim 1 further comprising: entering a spin state if the average acquisition cost value satisfies a first condition; and entering a sleep state if the average acquisition cost value satisfies a second condition.
- 5. (Currently Amended) The method of claim 4 A method for managing a mutex in a data processing system, the method comprising:

maintaining an average acquisition cost value for a mutex; attempting to acquire the mutex by a first thread; and

in response to a determination that the mutex has already been acquired by a second
thread, determining to enter a spin state or a sleep state on the first thread based
on the average acquisition cost value for the mutex
entering a spin state if the average acquisition cost value satisfies a first condition; and

entering a spin state if the average acquisition cost value satisfies a first condition; and entering a sleep state if the average acquisition cost value satisfies a second condition; wherein the first condition is that the average acquisition cost value is less than a threshold value, and wherein the second condition is that the average acquisition cost value is greater than or equal to a threshold value.

- (Original) The method of claim 5 wherein the threshold value is related to an
  amount of time that is required by a thread to enter and then exit a sleep state.
- (Currently Amended) The method of claim 1 further comprising: A method for managing a mutex in a data processing system, the method comprising:

maintaining an average acquisition cost value for a mutex;

attempting to acquire the mutex by a first thread; and

in response to a determination that the mutex has already been acquired by a second thread, determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex;

entering a spin state or a sleep state on the first thread; and

after exiting the spin state or the sleep state on the first thread, computing or retrieving a cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state.

8. (Original) The method of claim 7 further comprising: entering a spin state on the first thread by executing a busy-wait loop; and computing the cost value that indicates a consumption of computational resources by the first thread during the spin state based on a number of iterations that are executed within the busy-wait loop.

- (Original) The method of claim 7 further comprising:
- entering a sleep state on the first thread by executing a system call to suspend execution of the first thread; and
- computing the cost value that indicates a consumption of computational resources by the first thread during the sleep state based on an amount of time that the first thread is in the sleep state.
- 10. (Original) The method of claim 7 further comprising:
- adding the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state to a current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex.
- 11. (Original) The method of claim 7 further comprising:
- normalizing the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state prior to adding it to the current acquisition cost value.
- (Currently Amended) An apparatus for managing a mutex in a data processing system, the apparatus comprising:
  - means for maintaining an average acquisition cost value for a mutex;
  - means for attempting to acquire the mutex by a first thread; and
  - means for determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex in response to a determination that the mutex has already been acquired by a second thread.
  - means for maintaining a thread-specific current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex; and

- means for recomputing the average acquisition cost value for the mutex to include the thread-specific current acquisition cost value in response to the first thread acquiring the mutex.
- 13. (Original) The apparatus of claim 12 wherein the average acquisition cost value indicates an average consumption of computational resources by threads in acquiring the mutex.
  - (Canceled)
  - 15. (Original) The apparatus of claim 12 further comprising:
  - means for entering a spin state if the average acquisition cost value satisfies a first condition; and
  - means for entering a sleep state if the average acquisition cost value satisfies a second condition
- (Currently Amended) The apparatus of claim 15 An apparatus for managing a
  mutex in a data processing system, the apparatus comprising;
  - means for maintaining an average acquisition cost value for a mutex:
  - means for attempting to acquire the mutex by a first thread;
  - means for determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex in response to a determination that the mutex has already been acquired by a second thread.
  - means for entering a spin state if the average acquisition cost value satisfies a first condition; and
  - means for entering a sleep state if the average acquisition cost value satisfies a second condition; wherein the first condition is that the average acquisition cost value is less than a threshold value, and wherein the second condition is that the average acquisition cost value is greater than or equal to a threshold value.
- 17. (Original) The apparatus of claim 16 wherein the threshold value is related to an amount of time that is required by a thread to enter and then exit a sleep state.

(Currently Amended) The apparatus of claim 12 further comprising: An
apparatus for managing a mutex in a data processing system, the apparatus comprising:

means for maintaining an average acquisition cost value for a mutex;

means for attempting to acquire the mutex by a first thread;

means for determining to enter a spin state or a sleep state on the first thread based on the

average acquisition cost value for the mutex in response to a determination that
the mutex has already been acquired by a second thread;

means for entering a spin state or a sleep state on the first thread; and

means for computing or retrieving a cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state after exiting the spin state or the sleep state on the first thread.

# 19. (Original) The apparatus of claim 18 further comprising:

means for entering a spin state on the first thread by executing a busy-wait loop; and means for computing the cost value that indicates a consumption of computational resources by the first thread during the spin state based on a number of iterations that are executed within the busy-wait loop.

### 20. (Original) The apparatus of claim 18 further comprising:

means for entering a sleep state on the first thread by executing a system call to suspend execution of the first thread; and

means for computing the cost value that indicates a consumption of computational resources by the first thread during the sleep state based on an amount of time that the first thread is in the sleep state.

# 21. (Original) The apparatus of claim 18 further comprising:

means for adding the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state to a current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex.

- 22. (Original) The apparatus of claim 18 further comprising:
- means for normalizing the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state prior to adding it to the current acquisition cost value.
- 23. (Currently Amended) A computer program product on a computer readable medium for use in a data processing system for managing a mutex, the computer program product comprising:

means for maintaining an average acquisition cost value for a mutex;

means for attempting to acquire the mutex by a first thread; and

means for determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex in response to a determination that the mutex has already been acquired by a second thread;

- means for maintaining a thread-specific current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex; and
- means for recomputing the average acquisition cost value for the mutex to include the thread-specific current acquisition cost value in response to the first thread acquiring the mutex.
- (Original) The computer program product of claim 23 wherein the average acquisition cost value indicates an average consumption of computational resources by threads in acquiring the mutex.

#### (Canceled)

- (Original) The computer program product of claim 23 further comprising: means for entering a spin state if the average acquisition cost value satisfies a first condition; and
- means for entering a sleep state if the average acquisition cost value satisfies a second condition.

(Currently Amended) The computer program product of claim 26 A computer program product on a computer readable medium for use in a data processing system for managing a mutex, the computer program product comprising:

means for maintaining an average acquisition cost value for a mutex;

means for attempting to acquire the mutex by a first thread;

means for determining to enter a spin state or a sleep state on the first thread based on the

average acquisition cost value for the mutex in response to a determination that
the mutex has already been acquired by a second thread;

means for entering a spin state if the average acquisition cost value satisfies a first condition; and

means for entering a sleep state if the average acquisition cost value satisfies a second condition:

wherein the first condition is that the average acquisition cost value is less than a threshold value, and wherein the second condition is that the average acquisition cost value is greater than or equal to a threshold value.

- 28. (Original) The computer program product of claim 27 wherein the threshold value is related to an amount of time that is required by a thread to enter and then exit a sleep state
- (Currently Amended) The computer program product of claim 23 further comprising: A computer program product on a computer readable medium for use in a data processing system for managing a mutex, the computer program product comprising:

means for maintaining an average acquisition cost value for a mutex;

means for attempting to acquire the mutex by a first thread;

means for determining to enter a spin state or a sleep state on the first thread based on the average acquisition cost value for the mutex in response to a determination that the mutex has already been acquired by a second thread;

means for entering a spin state or a sleep state on the first thread; and

- means for computing or retrieving a cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state after exiting the spin state or the sleep state on the first thread.
- 30. (Original) The computer program product of claim 29 further comprising: means for entering a spin state on the first thread by executing a busy-wait loop; and means for computing the cost value that indicates a consumption of computational resources by the first thread during the spin state based on a number of iterations that are executed within the busy-wait loop.
- (Original) The computer program product of claim 29 further comprising:
   means for entering a sleep state on the first thread by executing a system call to suspend execution of the first thread; and
- means for computing the cost value that indicates a consumption of computational resources by the first thread during the sleep state based on an amount of time that the first thread is in the sleep state.
- 32. (Original) The computer program product of claim 29 further comprising: means for adding the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state to a current acquisition cost value that represents a consumption of computational resources by the first thread after an initial attempt to acquire the mutex and prior to acquiring the mutex.
- 33. (Original) The computer program product of claim 29 further comprising: means for normalizing the cost value that indicates a consumption of computational resources by the first thread during the spin state or the sleep state prior to adding it to the current acquisition cost value.